L Number	Hits	Search Text	DB	Time stamp
-	75716	personal with (information data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 09:58
-	69546	personal with (information data) and computer program with encrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:25
-	66572	personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:06
-	66569	personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:26
-	1563	biometric adj (data information)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:10
-	1194	biometric with (data information) and personal with (data information)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:20
-	1105	(personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:28
-	6	install$4 with program and server and biometric with code with encrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:13
-	5	(personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric adj code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:15
-	0	(install$4 with program and server and biometric with code with encrypt$4) and ((personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric adj code)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:15
-	305	(personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:15

C:\APPS\EAST\Workspaces\A38-Harris-C713.wsp

–		119	(personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt$4 with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:16
–		1	(personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt$4 with code and install$4 with server with program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:16
–		7	(personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt$4 with code and install$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:19
–		27	(personal with (information data) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt$4 with code and install$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:24
–		1105	biometric with (data information) and personal with (data information) and computer program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4 and biometric with code and encrypt$4 with code and install$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:22
–		0	biometric with (data information) and personal with (data information) and computer with program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4 and biometric with code and encrypt$4 with code and install$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:23
–		0	(personal with (information data) and computer with program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt$4 with code and install$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:24

–	0	(personal with (information data) and computer and program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt$4 with code and install$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:25
–	1694	personal with (information data) and program with encrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:25
–	0	(personal with (information data) and program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information)) and biometric with code and encrypt$4 with code and install$4 with program and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:25
–	1	personal with (information data) and program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:26
–	0	(personal with (information data) and program with encrypt$4 and decrypt$4 and compar$4 with personal with decrypt$4 and (match$4 agree$4 same$4 equal$4) with personal with decrypt$4) and (biometric with (data information) and personal with (data information))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:29
–	1194	personal with (information data) and biometric with (data information)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:30
–	326	personal with (information data) and biometric with (data information) and biometric with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:30
–	138	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:31
–	135	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:31
–	121	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:31
–	74	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:32
–	74	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:33

C:\APPS\EAST\Workspaces\A38-Harris-C713.wsp

–	48	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:35
–	45	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and install$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:35
–	43	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and install$4 and signature	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:36
–	14	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and public with key and install$4 and signature	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:36
–	13	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and public with key and install$4 and signature and biometric with read$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 09:50
–	6	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and public with key and install$4 and signature and biometric with (reader dongle)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:12
–	13	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and public with key and install$4 and signature and biometric with read$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:11
–	6	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and public with key and install$4 and signature and biometric with reader	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:03
–	13	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and public with key and install$4 and signature and (biometric finger$print) with read$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:14

C:\APPS\EAST\Workspaces\A38-Harris-C713.wsp

–	6	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and public with key and install$4 and signature and (biometric finger$print) with (reader scanner dongle)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:13
–	13	personal with (information data) and biometric with (data information) and biometric with code and encrypt$4 and decrypt$4 and compar$4 and match$4 and computer with program and (server machine) and private with key and public with key and install$4 and signature and (biometric finger$print) with ((read$4 with device) scanner)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:20
–	8045	instal$5 with program with (computer server machine)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:21
–	120	instal$6 with program with (computer server machine) and verif$4 and licens$4 with instal$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:22
–	3	instal$6 with program with (computer server machine) and verif$4 and licens$4 with instal$6 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:21
–	51	instal$6 with program with (computer server machine) and verif$4 and licens$4 and instal$6 with code and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:27
–	49	instal$6 with program with (computer server machine) and verif$4 and licens$4 and instal$6 with code and biometric with (data information) and code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:28
–	2	instal$6 with program with (computer server machine) and verif$4 and licens$4 and instal$6 with code and biometric with (data information) and code with (distribut$4 provid$4) with program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 10:31
–	5	instal$6 with program with (computer server machine) and verif$4 and (software program installation) with licens$4 and instal$6 with code and biometric with (data information) and code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 12:00
–	92	biometric with (data information).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:29
–	579	biometric with (data information).ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:29
–	675	biometric with (data information).clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:30
–	32	(biometric with (data information).ti.) and (biometric with (data information).ab.) and (biometric with (data information).clm.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:30
–	11	(biometric with (data information).ti.) and (biometric with (data information).ab.) and (biometric with (data information).clm.) and encrypt$4 and decrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:30

-		6	(biometric with (data information).ti.) and (biometric with (data information).ab.) and (biometric with (data information).clm.) and encrypt$4 and decrypt$4 and public adj key and private adj key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:31
-		78	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:31
-		31	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:31
-		22	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code and program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 12:44
-		2	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code and program and compar$4 with encrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:34
-		2	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code and program and compar$4 with encrypt$4 and match$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:34
-		2	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code and program and compar$4 with encrypt$4 and match$4 and (read$4 scan$4 sens$4) with biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:35
-		2	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code and program and compar$4 with encrypt$4 and match$4 and (read$4 scan$4 sens$4) with biometric and stor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:36
-		1	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code and program and compar$4 with encrypt$4 and match$4 and (read$4 scan$4 sens$4) with biometric and stor$4 with encrypt$4 and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:37
-		2	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code and program and compar$4 with encrypt$4 and match$4 and (read$4 scan$4 sens$4) with biometric and stor$4 with encrypt$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:44
-		0	(biometric with (data information).ab.) and encrypt$4 and decrypt$4 and public adj key and private adj key and biometric with code and program and instal$6 with program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 12:45
-		2	instal$6 with program with (computer server machine) and verif$4 and (software program installation) with licens$4 and instal$6 with code and biometric with (data information) and code with send	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 13:26
-		54718	time with (interval period) and time with obtain$4 and compar$4 with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 09:59

-	1419	time with (interval period) and time with obtain$4 and compar$4 with time and within with specified with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:00
-	23	time with (interval period) and time with obtain$4 and compar$4 with time and run with within with specified with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:00
-	0	time with (interval period) and time with obtain$4 and compar$4 with time and run with within with specified with time and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:01
-	70	time with biometric with (data information) with (obtain$4 receive$4 gather$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:02
-	33	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:02
-	19	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:02
-	3	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and time with specif$4 and within with specified with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:07
-	0	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and time with specif$4 and within with specified with time with run$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:06
-	2	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and time with specif$4 and within with specified with time with operat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:06
-	3	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and time with specif$4 and (during within) with specified with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:08
-	3	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and time with specif$4 and (during within) with specified with (period time)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:08
-	4	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with specif$4 and (during within) with specified with (period time)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:10
-	7	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and time with specif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:21
-	2	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with specif$4 and (during within) with specified with (period time) with (run operat$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:10

–		0	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and time with specif$4 with run$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:11
–		3	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and time with specif$4 with operat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:12
–		3	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time and time with (period interval) and (period interval time) with specif$4 with operat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:12
–		1	time with biometric with (data information) with (obtain$4 receive$4 gather$4) and compar$4 with time with (current present) and time with (period interval) and time with specif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 10:21
–		0	instal$6 with program with (computer server machine) and verif$4 and (software program installation) with licens$4 and instal$6 with code and biometric with (data information) and code and verif$4 with install$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 12:00
–		1	instal$6 with program with (computer server machine) and verif$4 and (software program installation) with licens$4 and instal$6 with code and biometric with (data information) and code and verif$4 with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 12:05
–		0	instal$6 with program with (computer server machine) and verif$4 and (software program installation) with licens$4 and instal$6 with code and biometric with (data information) and code and verif$4 with time and install$4 with license	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/16 12:05